

Material Safety Data Sheet Camphor Powder MSDS

Section 1: Chemical Product and Company Identification

Product Name: Camphor Powder

Catalog Codes: 10447

CAS#: 76-22-2

RTECS: EX1225000

TSCA: TSCA 8(b) inventory: Camphor (DL)

Cl#: Not available.

Synonym: Camphor, Synthetic, USP; 1,7,7-Trimethylbicyclo[2,2,1]heptan-2-one; (+-)-Camphor; Camphor, synthetic; 2-Bornanone; 2-Camphonone; Bicyclo(2,2,1)heptan-2-one, 1,7,7-trimethyl-; Gum Camphor

Chemical Name: (DL)-Camphor

Chemical Formula: C10H16O

Contact Information:

Suyash Ayurveda

4311/3, Road No 4, Near Sagar Hotel, Behind Laxmi Atta, Sachin GIDC, Surat, Gujarat – 3954230, INDIA Email:sales@suyashayurveda.c om Web:www.suyashayurveda.com

Section 2: Composition and Information on Ingredients

Composition:

| Name | CAS # | % by Weight |
|----------------|---------|-------------|
| Camphor Powder | 76-22-2 | 100 |

Toxicological Data on Ingredients: Camphor (DL): ORAL (LD50): Acute: 1310 mg/kg [Mouse].

Section 3: Hazards Identification

Potential Acute Health Effects:

Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to upper respiratory tract, skin, eyes, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. WARM water MUST be used. Get medical attention.

Skin Contact:

In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Flammable.

Auto-Ignition Temperature: 467°C (872.6°F)

Flash Points: CLOSED CUP: 65.6°C (150.1°F). OPEN CUP: 93°C (199.4°F).

Flammable Limits: LOWER: 0.6% UPPER: 3.5%

Products of Combustion: These products are carbon oxides (CO, CO2).

Fire Hazards in Presence of Various Substances: Flammable in presence of open flames and sparks, of heat.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Slightly explosive in presence of open flames and sparks, of heat.

Fire Fighting Media and Instructions:

Flammable solid. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. Cool containing vessels with water jet in order to prevent pressure build-up, autoignition or explosion.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards: Vapor is explosive when exposed to heat or flame

Section 6: Accidental Release Measures

Small Spill: Use appropriate tools to put the spilled solid in a convenient waste disposal container.

Large Spill:

Flammable solid. Stop leak if without risk. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

Storage:

Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Do not store above 23°C (73.4°F).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

TWA: 2 STEL: 3 (ppm) [Australia] TWA: 2 STEL: 3 (ppm) [Canada] TWA: 12 STEL: 19 (mg/m3) [Canada] TWA: 2 (mg/m3) from NIOSH TWA: 2 (mg/m3) from OSHA (PEL) [United States] TWA: 2 STEL: 4 (ppm) from ACGIH (TLV) [United States] [1999] TWA: 2 STEL: 3 (ppm) [United Kingdom (UK)] TWA: 13 STEL: 19 (mg/m3) [United Kingdom (UK)]3 Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Crystalline solid.)

Odor: Fragrant, Penetrating

Taste: Slightly bitter, cooling

Molecular Weight: 152.24 g/mole

Color: White.

pH (1% soln/water): Not available.

Boiling Point: 205°C (401°F)

Melting Point: 180°C (356°F)

Critical Temperature: Not available.

Specific Gravity: 0.992 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: 5.24 (Air = 1)

Volatility: Not available.

Odor Threshold: 1.3 ppm

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water, acetone.

Solubility:

Easily soluble in acetone. Very slightly soluble in cold water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible materials, sources of ignition, excess heat.

Incompatibility with various substances: Not available.

Corrosivity: Not available.

Special Remarks on Reactivity:

Incompatible with heat, sunlight, potassium permanganate, metallic salts, chromic anhydride, oxidizing materials, combustible materials, organic materials

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Inhalation. Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 1310 mg/kg [Mouse].

Chronic Effects on Humans:

CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH. May cause damage to the following organs: upper respiratory tract, skin, eyes, central nervous system (CNS).

Other Toxic Effects on Humans:

Hazardous in case of skin contact (irritant), of ingestion, of inhalation. Slightly hazardous in case of skin contact (permeator).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May affect genetic material based on animal data. Passes through the placental barrier in human.

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects: Skin: Causes skin irritation. May cause epileptic seizures. Eye: Causes eye irritation. May cause epileptic seizures. Inhalation: Causes irritation of the respiratory tract (mucous membranes) and may cause emphysema. May affect behavior - the brain and Central Nervous system (muscle contraction and spasticity). May affect the heart. Ingestion: Cause irritation of the gastrointestional tract (nausea, vomiting. May affect behavior - the brain and Central Nervous system (dizziness, convulsions, seizures, change of motor activity, rigidity). May be harmful if swallowed. Certain medical conditions may be aggravated by exposure: kidney disorders, liver disorders, heart disorders, epilepsy. Chronic Potential Health Effects: none identified.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Section 14: Transport Information

DOT Classification: CLASS 4.1: Flammable solid.

Identification: : Camphor, Synthetic UNNA: 2717 PG: III

Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations:

Rhode Island RTK hazardous substances: Camphor (DL) Pennsylvania RTK: Camphor (DL) Florida: Camphor (DL) Minnesota: Camphor (DL) Massachusetts RTK: Camphor (DL) New Jersey: Camphor (DL) California Director's List of Hazardous Substances (8 CCR 339): Camphor (DL) Tennessee: Camphor (DL) TSCA 8(b) inventory: Camphor (DL)

Other Regulations:

OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): CLASS B-4: Flammable solid.

DSCL (EEC):

R36/38- Irritating to eyes and skin. S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37/39- Wear suitable gloves and eye/face protection.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 2

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 0

Flammability: 2

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/06/2020

Last Updated: 26/11/2021

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Suyash Ayurveda be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Suyash Ayurveda has been advised of the possibility of such damages.